

**AMENDMENTS TO THE CLAIMS**

A complete listing of the current pending claims is provided below and supersedes all previous claim listing.

1. (Cancelled) A work light comprising at least two LEDs tilted away from each other to provide, in use, a high intensity beam pattern.
2. (Currently Amended) A work light ~~according to claim 1 wherein said~~ comprising two LEDs that are tilted away from each other to provide ~~an~~ a high intensity elliptical beam pattern.
3. (Currently Amended) A work light according to claim 2 wherein the offset angle of said two LEDs are at set to 8° ~~to each other~~.
4. (Currently Amended) A work light according to claim 2 including an electronic circuit to ~~prove~~ provide a constant current to said LEDs independent of a supply voltage providing said current.
5. (Original) A work light according to claim 4 wherein said electronic circuit comprises a switching regulator.
6. (Original) A work light according to claim 5 wherein said electronic circuit includes a microcontroller to control said switching regulator.
7. (Original) A work light according to claim 4 wherein said current is provided by a plurality of nickel-metal-hydride batteries.
8. (Original) A work light according to claim 7 wherein said batteries comprise eight AA batteries.

9. (Original) A work light according to claim 4 wherein said current is controlled via a momentary action switch.

10. (Original) A work light according to claim 6 wherein said current is provided by a fuel cell.

11. (Original) A work light comprising at least two LEDs tilted away from each other at an offset angle to each other to provide, in use, a high intensity elliptical beam.

12. (Currently Amended) A work light according to claim 11 wherein said LEDs are tilted away from each other with an offset angle at 8 degrees.

13. (Original) A work light according to claim 11 including an electronic circuit to provide a constant current to said LEDs independent of a supply voltage providing said current.

14. (Original) A work light according to claim 13 wherein said electronic circuit comprises a switching regulator.

15. (Original) A work light according to claim 14 wherein said electronic circuit includes a microcontroller to control said switching regulator.

16. (Original) A work light according to claim 13 wherein said current is provided by a plurality of nickel-metal-hydride batteries.

17. (Original) A work light according to claim 13 wherein said batteries comprise eight AA batteries.

18. (Original) A work light according to claim 13 wherein said current is controlled via a momentary action switch.

19. (Original) A work light according to claim 13 wherein said current is provided by a fuel cell.

20. (Original) A work light comprising:
- (a) at least two LEDs tilted away from each other at an offset angle to provide, in use, a high intensity elliptical beam:
  - (b) said LEDs being enclosed within a first portion of a housing,
  - (c) eight NiMH-AA batteries enclosed within a second portion of said housing,
  - (d) said first and second portions being interconnected by a flexible neck portion, and
  - (e) an electronic circuit including a switching regulator and microcontroller connected to provide, in use, a constant current to said LEDs independent of the voltage supplied by said AA batteries.
21. (Currently Amended) A work light according to claim 20 including a said microcontroller and a momentary action switch to control said regulator.
22. (Currently Amended) A work light according to claim 20 wherein said microcontroller and a momentary action switch control the intensity of said beam.
23. (Original) A work light according to claim 20 including a sensing circuit to prevent complete discharge of said batteries.
24. (Original) A work light according to claim 20 including a lens to modify the shape of said beam.
25. (Original) A work light according to claim 20 including a reflector to modify the shape of said beam.
26. (Original) A work light according to claim 20 wherein the shape of said beam may be modified by changing the angle of said LEDs to each other.

27. (Currently Amended) A work light according to claim ~~1~~ 2 including a detachable magnetic hook member to facilitate hanging the work light from a suitable support.

28. (Original) A work light comprising at least one LED and a shaped reflector to provide an elliptical beam.